

115 RAMSDELL STREET • FIRCREST, WA 98466-6999 • (253) 564-8901 • www.cityoffircrest.net

RESIDENTIAL APPLICATION SUBMITTAL CHECKLIST

Please use this checklist to ensure that all necessary information is provided for review of your project.

- One **complete** building permit application
- Two accurate fully dimensional site plans (Show us what and where)
- Two sets of construction drawings
- One digital copy of plans may email to permits@cityoffircrest.net
- Two sets of erosion control plan and flow control plan (more information and examples)
- Two sets of engineered drawings and calculations
- Completed energy code application <u>use this link for prescriptive worksheet</u>

 (see http://www.energy.wsu.edu/BuildingEfficiency/EnergyCode.aspx for useful information and forms.)
- A separate permit may be required for a retaining wall.
- Before cutting any trees a tree survey should be provided to ensure significant trees are retained when possible and trees are replaced when required. see FMC 22.62.009
- Landscape plan pursuant to FMC 22.62.004(1) as follows:

Newly developed single-family infill lots must be landscaped so that yards visible from the abutting street(s) will have a finished appearance and will not have the appearance of a construction site after the building has been completed and finalized by the city. At a minimum, a finished appearance shall consist of turf with foundation plantings and/or perimeter plantings.

Contact the Planning/Building Department at (253) 564-8901 for additional code requirements, i.e., garage projection, garage width, garage door width, retention and protection of significant trees, etc.



RESIDENTIAL BUILDING PERMIT APPLICATION

115 RAMSDELL STREET • FIRCREST, WASHINGTON	98466-6999 • (253) 564-890	1 • FAX (253) 566-0762	Nev	w Single Dwelling/ Duplex
PROJECT ADDRESS	Parcel Number			
PROJECT VALUATION:				
APPLICANT	Phone		Email a	ddress
Address (Street, City, State, Zip)				
PROPERTY OWNER	Phone		Email address	
Address (Street, City, State, Zip)	1			
CONTRACTOR	Phone		Email address	
Address (Street, City, State, Zip)				
Contractor License #	Exp Date		UBI#	
PROJECT DESCRIPTION				
PROJECT DETAILS				
Total square footage	Are you changing unfinished space (garages, ba			arages, basements) to
of existing house:	livable space? Yes No			_
of area to be added:	# Bedrooms added:			Is the property served by:
of area to be remodeled:	# Bathrooms added:			SewerSeptic
PLUMBING list proposed fixtures (sinks, washer, water heater, toilets, etc.)		MECHANICAL list proposed appliances (exhaust fans, heat pump, furnace, gas piping, etc.)		
Total fixtures:		Total appliances:		
I hereby certify that the information provided is corre will be in accordance with the laws, rules, and regula				
Print Name: □ Owner □ Agent/Other (specify)				
Signature: Date:				

The following code provisions, among others, are relevant to the construction of a single-family dwelling in the City of Fircrest. Please take a moment to review this sheet.

Building height means the average vertical distance between the finished grade on each exterior wall and a horizontal plane level with the highest point of the coping of a flat roof, the deck of a mansard roof, or the highest ridge line of a pitched roof. The height of a stepped or terraced building is measured for each segment of the building. See specific zoning regulations for height limits.

Grade, finished means the finished elevation of the ground level after development, measured at a horizontal distance of five feet from a building foundation wall.

Garage Placement and Width

The following standards apply to garages attached to single-family, duplex and multifamily dwelling units:

- 1. Projection. A garage with doors which face a front yard shall not project in front of the dwelling unit's facade; provided, that a garage may project in front of the habitable portion of the dwelling unit if a covered porch projects the same or greater distance.
- 2. Door Width. Garage doors that face a front yard or a side street side yard shall not exceed 33 percent of the lot width or 18 feet, whichever is less. Individual single bay doors shall not exceed a width of nine feet.
- 3. Garage Width. A garage with garage doors that faces a front yard or side street side yard shall not exceed 50 percent of the building line or 24 feet, whichever is greater, unless it is designed to appear as habitable space through the use of residential architectural features (see FMC 22.64.023(b)).

Driveway Width

Driveways for single-family detached dwellings shall not exceed 20 feet in width unless the director approves an alternative design which uses a permeable surface such as interlocking paving blocks or other porous pavement which minimizes impervious surface. In no case shall the driveway exceed 20 feet within the public right-of-way or exceed the minimum width necessary to provide reasonable access to the dwelling. No more than one driveway is permitted to provide access to a single-family detached dwelling.

Setback and Yard Determination

All setbacks shall be measured perpendicular to the nearest property line. Permitted Encroachments into required residential yards:

- 1. Belt courses, canopies, cornices, eaves, fireplaces, sills, sunshades, and similar architectural features may extend two feet into any yard, provided a minimum three-foot setback is maintained. Overhead projections shall provide at least seven and one-half feet of unobstructed vertical clearance above grade.
- 2. Bay windows and similar features that increase floor area or enclosed space may extend two feet into any yard, provided a minimum three-foot setback is maintained from the property line. Overhead projections shall provide at least seven and one-half feet of unobstructed vertical clearance above grade. Encroaching bay windows shall not extend horizontally across more than 50 percent of the linear wall surface to which they are affixed. The maximum length of each bay shall be 10 feet and the minimum horizontal separation between bays shall be five feet. Bay windows shall not encroach into yards at any other level than the story on which the window openings or glazing are located, except that ornamental brackets or canopies may be approved through administrative design review.
- 3. A covered, unenclosed porch of a principal residential structure may encroach up to six feet into a required front yard. An existing legal nonconforming porch and connecting staircase may be reconstructed with an encroachment beyond six feet into a front yard if they generally conform to the original design and footprint.
- 4. Uncovered patios, decks, stairs and landings may encroach into required yards based on their height above finished grade or floor level

SAMPLE SITE PLAN

A site plan is a drawing that shows the boundaries and other important details to determine if the location of the proposed structure meets the code. Some smaller projects may not require all of the details.

To assist, the City can provide an aerial photo of your property in .pdf or .jpeg format upon request. Or visit the Pierce County Public GIS: https://matterhornwab.co.pierce.wa.us/publicgis/

Please include:

- Address and/or Parcel Number
- Building, porch, deck Footprint
- Existing Structures
- Retaining walls, fences, etc.
- Lot Dimensions
- North Arrow
- Contours
- Easements
- Setbacks

